

## Safety Data Sheet E-7001

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 10-15-1979 Revision date: 08-25-2016 Supersedes: 10-15-2013

## **SECTION 1: Identification**

### 1.1. Product identifier

Product form : Mixture

Name : Air/Butane Mixture

Other means of identification : Mixture of Air - Butane

Product group : Standard Mixture

### 1.2. Recommended use and restrictions on use

Recommended uses and restrictions : Industrial use

Use as directed

### 1.3. Supplier

Praxair Canada inc. 1200 – 1 City Centre Drive Mississauga - Canada L5B 1M2 T 1-905-803-1600 - F 1-905-803-1682 www.praxair.ca

### 1.4. Emergency telephone number

Emergency number : 1-800-363-0042

Call emergency number 24 hours a day only for spills, leaks, fire, exposure, or accidents

involving this product.

For routine information, contact your supplier or Praxair sales representative.

### **SECTION 2: Hazard identification**

### 2.1. Classification of the substance or mixture

### **GHS-CA** classification

Simple asphyxiant H380 Compressed gas H280

### 2.2. GHS Label elements, including precautionary statements

## **GHS-CA labelling**

Hazard pictograms



Signal word : WARNING

Hazard statements : CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED

MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION

Precautionary statements : Do not handle until all safety precautions have been read and understood

Use and store only outdoors or in a well-ventilated area

Protect from sunlight when ambient temperature exceeds 52°C (125°F)

Use a back flow preventive device in the piping Close valve after each use and when empty

When returning cylinder, install leak tight valve outlet cap or plug

### 2.3. Other hazards

No additional information available

## 2.4. Unknown acute toxicity (GHS-CA)

No data available

This document is only controlled while on the Praxair Canada Inc. website and a copy of this controlled version is available for download. Praxair cannot assure the integrity or accuracy of any version of this document after it has been downloaded or removed from our website.

EN (English) SDS ID : E-7001 1/8



## Safety Data Sheet E-7001

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 10-15-1979 Revision date: 08-25-2016 Supersedes: 10-15-2013

## **SECTION 3: Composition/information on ingredients**

Not applicable

### 3.2. **Mixtures**

Name	CAS No.	% (Vol)	Common Name (synonyms)
Air	(CAS No) 132259-10-0	99.05 - 99.9999	Air, compressed / Air, refrigerated liquid / Ambient air
Butane	(CAS No) 106-97-8	0.0001 - 0.95	n-Butane / BUTANE

### **SECTION 4: First-aid measures**

### **Description of first aid measures**

First-aid measures after inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing. If not breathing,

give artificial respiration. If breathing is difficult, trained personnel should give oxygen. Call a

physician.

First-aid measures after skin contact : Adverse effects not expected from this product.

Immediately flush eyes thoroughly with water for at least 15 minutes. Hold the eyelids open and First-aid measures after eye contact

away from the eyeballs to ensure that all surfaces are flushed thoroughly. Contact an

ophthalmologist immediately.

First-aid measures after ingestion : Ingestion is not considered a potential route of exposure.

### Most important symptoms and effects (acute and delayed)

No additional information available

### Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : None

### **SECTION 5: Fire-fighting measures**

### Suitable extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

### Unsuitable extinguishing media

No additional information available

## Specific hazards arising from the hazardous product

Reactivity : No reactivity hazard other than the effects described in sub-sections below.

: No reactivity hazard other than the effects described in sub-sections below. Reactivity in case of fire

### Special protective equipment and precautions for fire-fighters

: Evacuate all personnel from the danger area. Use self-contained breathing apparatus (SCBA) Firefighting instructions

and protective clothing. Immediately cool containers with water from maximum distance. Stop flow of gas if safe to do so, while continuing cooling water spray. Remove ignition sources if safe to do so. Remove containers from area of fire if safe to do so. On-site fire brigades must

comply with their provincial and local fire code regulations.

Special protective equipment for fire fighters Standard protective clothing and equipment (Self Contained Breathing Apparatus) for fire

fighters.

Other information Containers are equipped with a pressure relief device. (Exceptions may exist where authorized

by TC.).

## **SECTION 6: Accidental release measures**

## Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so.

## Methods and materials for containment and cleaning up

### 6.3. Reference to other sections

For further information refer to section 8: Exposure controls/personal protection

This document is only controlled while on the Praxair Canada Inc. website and a copy of this controlled version is available for download. Praxair cannot assure the 2/8



## Safety Data Sheet E-7001

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 10-15-1979 Revision date: 08-25-2016 Supersedes: 10-15-2013

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling

: Wear leather safety gloves and safety shoes when handling cylinders. Protect cylinders from physical damage; do not drag, roll, slide or drop. While moving cylinder, always keep in place removable valve cover. Never attempt to lift a cylinder by its cap; the cap is intended solely to protect the valve. When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.) designed to transport cylinders. Never insert an object (e.g, wrench, screwdriver, pry bar) into cap openings; doing so may damage the valve and cause a leak. Use an adjustable strap wrench to remove over-tight or rusted caps. Slowly open the valve. If the valve is hard to open, discontinue use and contact your supplier. Close the container valve after each use; keep closed even when empty. Never apply flame or localized heat directly to any part of the container. High temperatures may damage the container and could cause the pressure relief device to fail prematurely, venting the container contents. For other precautions in using this product, see section 16.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in a cool, well-ventilated place. Store and use with adequate ventilation. Store only where temperature will not exceed 125°F (52°C). Firmly secure containers upright to keep them from falling or being knocked over. Install valve protection cap, if provided, firmly in place by hand. Store full and empty containers separately. Use a first-in, first-out inventory system to prevent storing full containers for long periods

OTHER PRECAUTIONS FOR HANDLING, STORAGE, AND USE: When handling product under pressure, use piping and equipment adequately designed to withstand the pressures to be encountered. Never work on a pressurized system. Use a back flow preventive device in the piping. Gases can cause rapid suffocation because of oxygen deficiency; store and use with adequate ventilation. If a leak occurs, close the container valve and blow down the system in a safe and environmentally correct manner in compliance with all international, federal/national, state/provincial, and local laws; then repair the leak. Never place a container where it may become part of an electrical circuit.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

Butane (106-97-8)			
USA - ACGIH	ACGIH TLV-STEL (ppm)	1000 ppm	
Canada (Quebec)	VEMP (mg/m³)	1900 mg/m³	
Canada (Quebec)	VEMP (ppm)	800 ppm	
Alberta	OEL TWA (ppm)	1000 ppm	
British Columbia	OEL STEL (ppm)	750 ppm	
British Columbia	OEL TWA (ppm)	600 ppm	
Manitoba	OEL STEL (ppm)	1000 ppm	
New Brunswick	OEL TWA (mg/m³)	1900 mg/m³	
New Brunswick	OEL TWA (ppm)	800 ppm	
New Foundland & Labrador	OEL STEL (ppm)	1000 ppm	
Nova Scotia	OEL STEL (ppm)	1000 ppm	
Nunavut	OEL STEL (mg/m³)	2576 mg/m³	
Nunavut	OEL STEL (ppm)	1000 ppm	
Nunavut	OEL TWA (mg/m³)	1901 mg/m³	
Nunavut	OEL TWA (ppm)	800 ppm	
Northwest Territories	OEL STEL (ppm)	1250 ppm	
Northwest Territories	OEL TWA (ppm)	1000 ppm	
Ontario	OEL STEL (ppm)	1000 ppm	
Ontario	OEL TWA (ppm)	800 ppm	
Prince Edward Island	OEL STEL (ppm)	1000 ppm	

This document is only controlled while on the Praxair Canada Inc. website and a copy of this controlled version is available for download. Praxair cannot assure the integrity or accuracy of any version of this document after it has been downloaded or removed from our website.

EN (English) SDS ID : E-7001 3/8



according to the Hazardous Products Regulation (February 11, 2015)

Revision date: 08-25-2016 Date of issue: 10-15-1979 Supersedes: 10-15-2013

Butane (106-97-8)		
Québec	VEMP (mg/m³)	1900 mg/m³
Québec	VEMP (ppm)	800 ppm
Saskatchewan	OEL STEL (ppm)	1250 ppm
Saskatchewan	OEL TWA (ppm)	1000 ppm
Yukon	OEL STEL (mg/m³)	1600 mg/m³
Yukon	OEL STEL (ppm)	750 ppm
Yukon	OEL TWA (mg/m³)	1400 mg/m³
Yukon	OEL TWA (ppm)	600 ppm

### **Appropriate engineering controls**

Appropriate engineering controls

: Provide adequate general and local exhaust ventilation. Ensure exposure is below occupational exposure limits (where available).

### 8.3. Individual protection measures/Personal protective equipment

Personal protective equipment

: Safety glasses. Face shield. Gloves.







Hand protection

Wear work gloves when handling containers. Wear heavy rubber gloves where contact with

product may occur.

Eye protection

Wear goggles and a face shield when transfilling or breaking transfer connections. Select in accordance with the current CSA standard Z94.3, "Industrial Eye and Face Protection", and

any provincial regulations, local bylaws or guidelines.

Respiratory protection

Respiratory protection: Use respirable fume respirator or air supplied respirator when working in confined space or where local exhaust or ventilation does not keep exposure below TLV Select in accordance with provincial regulations, local bylaws or guidelines. Selection should be based on the current CSA standard Z94.4, "Selection, Care, and Use of Respirators."

Respirators should also be approved by NIOSH and MSHA. For emergencies or instances with unknown exposure levels, use a self-contained breathing apparatus (SCBA).

Thermal hazard protection

Decomposition temperature

Vapour pressure

: Wear cold insulating gloves when transfilling or breaking transfer connections.

Other information

Other protection: Safety shoes for general handling at customer sites. Metatarsal shoes and cuffless trousers for cylinder handling at packaging and filling plants. Select in accordance with the current CSA standard Z195, "Protective Foot Wear", and any provincial regulations, local bylaws or guidelines. For working with flammable and oxidizing materials, consider the use of

flame resistant anti-static safety clothing.

### **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

Physical state : Gas

Appearance No data available Colour Colourless : No data available. Odour Odour threshold : No data available pΗ Not applicable. No data available pH solution Relative evaporation rate (butylacetate=1) : No data available Relative evaporation rate (ether=1) : Not applicable. Melting point : No data available No data available Freezing point Boiling point No data available Flash point : No data available Auto-ignition temperature : No data available

This document is only controlled while on the Praxair Canada Inc. website and a copy of this controlled version is available for download. Praxair cannot assure the integrity or accuracy of any version of this document after it has been downloaded or removed from our website.

: No data available

: Not applicable.

SDS ID : E-7001 EN (English) 4/8



## Safety Data Sheet E-7001

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 10-15-1979 Revision date: 08-25-2016 Supersedes: 10-15-2013

Vapour pressure at 50 °C : No data available Relative vapour density at 20 °C : No data available : No data available Relative density Relative density of saturated gas/air mixture No data available Density : No data available : No data available Relative gas density : Water: No data available Solubility

Log Pow Not applicable. Log Kow Not applicable. : Not applicable. Viscosity, kinematic Viscosity, dynamic : Not applicable. Viscosity, kinematic (calculated value) (40 °C) : No data available Explosive properties Not applicable.

Oxidizing properties None.

Flammability (solid, gas)

Non Flammable Non flammable

### Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity : No reactivity hazard other than the effects described in sub-sections below.

: Stable under normal conditions. Chemical stability

Possibility of hazardous reactions None Conditions to avoid None. Incompatible materials None. Hazardous decomposition products : None.

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

## Butane (106-97-8)

LC50 inhalation rat (mg/l) 658 g/m3 (Exposure time: 4 h)

Skin corrosion/irritation : Not classified

pH: Not applicable.

Serious eye damage/irritation : Not classified

pH: Not applicable.

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified : Not classified Specific target organ toxicity (repeated

exposure)

EN (English) SDS ID: E-7001 5/8



## Safety Data Sheet E-7001

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 10-15-1979 Revision date: 08-25-2016 Supersedes: 10-15-2013

Aspiration hazard : Not classified

## **SECTION 12: Ecological information**

### 12.1. Toxicity

No additional information available

### 12.2. Persistence and degradability

Air/Butane Mixture			
Persistence and degradability	ability No ecological damage caused by this product.		
Butane (106-97-8)			
Persistence and degradability The substance is biodegradable. Unlikely to persist.			
Air (132259-10-0)			
Persistence and degradability	No ecological damage caused by this product.		

### 12.3. Bioaccumulative potential

Air/Butane Mixture		
Log Pow	Not applicable.	
Log Kow	Not applicable.	
Bioaccumulative potential	No ecological damage caused by this product.	
Butane (106-97-8)		
Log Pow	2.89	
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9.	
Air (132259-10-0)		
Log Pow	Not applicable for inorganic gases.	
Bioaccumulative potential	No ecological damage caused by this product.	

### 12.4. Mobility in soil

Air/Butane Mixture		
Mobility in soil	No data available.	
Log Pow	Not applicable.	
Log Kow	Not applicable.	
Butane (106-97-8)		
Log Pow	2.89	
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.	
Air (132259-10-0)		
Log Pow	Not applicable for inorganic gases.	

No ecological damage caused by this product.

# 12.5. Other adverse effects

Ecology - soil

Effect on the ozone layer : None

## **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Waste treatment methods : Do not attempt to dispose of residual or unused quantities. Return container to supplier.

Waste disposal recommendations : Do not attempt to dispose of residual or unused quantities. Return container to supplier.

### **SECTION 14: Transport information**

### 14.1. Basic shipping description

In accordance with TDG

**TDG** 

UN-No. (TDG) : UN1956

TDG Primary Hazard Classes : 2.2 - Class 2.2 - Non-Flammable, Non-Toxic Gas.

This document is only controlled while on the Praxair Canada Inc. website and a copy of this controlled version is available for download. Praxair cannot assure the integrity or accuracy of any version of this document after it has been downloaded or removed from our website.

EN (English) SDS ID : E-7001 6/8



according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 10-15-1979 Revision date: 08-25-2016 Supersedes: 10-15-2013

: COMPRESSED GAS, N.O.S. Proper shipping name

(Air)

Explosive Limit and Limited Quantity Index : 0.125 L Passenger Carrying Road Vehicle or Passenger : 75 L

Carrying Railway Vehicle Index

### 14.3. Air and sea transport

### **IMDG**

UN-No. (IMDG) : 1956

Proper Shipping Name (IMDG) : COMPRESSED GAS, N.O.S.

Class (IMDG) : 2.2 - Non-flammable, non-toxic gases

IATA

UN-No. (IATA) : 1956

Proper Shipping Name (IATA) : COMPRESSED GAS, N.O.S.

Class (IATA) : 2

## **SECTION 15: Regulatory information**

### 15.1. National regulations

### Butane (106-97-8)

Listed on the Canadian DSL (Domestic Substances List)

### 15.2. International regulations

### Butane (106-97-8)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on CICR (Turkish Inventory and Control of Chemicals)

### Air (132259-10-0)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

## **SECTION 16: Other information**

: 15/10/1979 Date of issue Revision date : 25/08/2016 Supersedes : 15/10/2013

Indication of changes:

This document is only controlled while on the Praxair Canada Inc. website and a copy of this controlled version is available for download. Praxair cannot assure the integrity or accuracy of any version of this document after it has been downloaded or removed from our website.

7/8

SDS ID : E-7001 EN (English)



## Safety Data Sheet E-7001

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 10-15-1979 Revision date: 08-25-2016 Supersedes: 10-15-2013

Other information

: When you mix two or more chemicals, you can create additional, unexpected hazards. Obtain and evaluate the safety information for each component before you produce the mixture. Consult an industrial hygienist or other trained person when you evaluate the end product. Before using any plastics, confirm their compatibility with this product

Praxair asks users of this product to study this SDS and become aware of the product hazards and safety information. To promote safe use of this product, a user should (1) notify employees, agents, and contractors of the information in this SDS and of any other known product hazards and safety information, (2) furnish this information to each purchaser of the product, and (3) ask each purchaser to notify its employees and customers of the product hazards and safety information

The opinions expressed herein are those of qualified experts within Praxair Canada Inc. We believe that the information contained herein is current as of the date of this Safety Data Sheet. Since the use of this information and the conditions of use are not within the control of Praxair Canada Inc, it is the user's obligation to determine the conditions of safe use of the product. Praxair Canada Inc, SDSs are furnished on sale or delivery by Praxair Canada Inc, or the independent distributors and suppliers who package and sell our products. To obtain current SDSs for these products, contact your Praxair sales representative, local distributor, or supplier, or download from www.praxair.ca. If you have questions regarding Praxair SDSs, would like the document number and date of the latest SDS, or would like the names of the Praxair suppliers in your area, phone or write Praxair Canada Inc, (Phone: 1-888-257-5149; Address: Praxair Canada Inc, 1 City Centre Drive, Suite 1200, Mississauga, Ontario, L5B 1M2).


PRAXAIR and the Flowing Airstream design are trademarks or registered trademarks of Praxair Technology, Inc. in the United States and/or other countries.

NFPA health hazard

0 - Exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials.

NFPA fire hazard NFPA reactivity : 0 - Materials that will not burn.

: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



HMIS III Rating

Health Flammability

Physical

: 0 Minimal Hazard - No significant risk to health: 0 Minimal Hazard - Materials that will not burn

: 2 Moderate Hazard - Materials that are unstable and may undergo violent chemical changes at normal temperature and pressure with low risk for explosion. Materials may react violently with water or form peroxides upon exposure to air.

SDS Canada (GHS) - Praxair

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EN (English) SDS ID : E-7001 8/8